



**CONCEPTRONIC**

WWW.CONCEPTRONIC.NET

## C4CHCCTVKIT

### 4 Channel CCTV Surveillance Kit

The Conceptronic CCTV Surveillance Kit offers an ideal way to monitor several different areas of your house or business. Have one camera focused on the entry, one on the garage, another on the back of the property and a fourth on the driveway, then enjoy the ease of monitoring all four cameras from any PC, laptop, tablet or smartphone. Cameras all conform to Weatherproof standard IP65, and operate in temperatures from -10°C to 50°C. Built-in infrared LEDs support night monitoring for distances up to 15 metres, providing peace-of-mind twenty-four hours a day. The quality cameras also offer full-screen, high resolution recording and playback, and recording your data is made easy and efficient with a high compression rate and up to 2TB of disk capacity. Everything you need for safe, secure surveillance of your home or business.



### Highlights

- > 4 x 1/4" Sony CCD 420TVL Day/Night Outdoor Cameras with a 4-CH Digital Video Recorder included
- > One 3.5" disk slot supports disk capacity of up to 2TB
- > Built-in infrared LEDs for night viewing of up to 15m
- > Weatherproof IP65-rated with wide operating temperature (-10°C to 50°C)
- > D1 Real time, full screen high resolution recording
- > H.264 compression for efficient data transfer and storage
- > Built-in USB port for backup, firmware upgrade and mouse
- > Supports iPhone/Android/Blackberry remote viewing over the Internet

### Specifications

#### System Specifications

#### Image sensor

1/4" Sony Super HAD CCD

#### Lens

3.6mm

#### Number of IR LEDs

24



**CONCEPTRONIC**

WWW.CONCEPTRONIC.NET

## C4CHCCTVKIT

### Connections / interfaces

#### USB ports

2

#### USB

USB 2.0

#### LAN ports

1 x 10/100Mbps

#### Hard disk type/connector

SATA

### Features

#### Video signal type

NTSC or PAL

#### Video input

4 Composite BNC Inputs

#### Video output

BNC, VGA

#### Mouse support

Yes

#### Audio output

1 RAC Output

#### Audio input

4 RCA Inputs

#### Supported protocols

DDNS  
PPPoE  
UPnP  
SMTP

### Performance

#### Frames per second

NTSC: 30fps/channel, PAL: 25fps/channel



**CONCEPTRONIC**

WWW.CONCEPTRONIC.NET

## C4CHCCTVKIT

### Resolution

VGA: 1280x1024 / CVBS: 720x480(NTSC), 704x576(PAL)

### Supported video formats

H.264

### Operating power

DC 12V

### Remote control

IR (infrared)

### Recording resolution

NTSC: D1(704x480), HD1(704x240), CIF(352x240)

PAL: D1(704x576), HD1(704x288), CIF(325x288)

### Recording frame rate

NTSC: 30fps D1 / PAL: 25fps D1

### Recording mode

Manual / Motion / Alarm / Schedule

### Hard disk support

up to 2TB

### Night viewing distance

up to 15m

### Physical Specifications

#### Length (in mm)

330 (DVR)

#### Width (in mm)

260 (DVR)

#### Height (in mm)

50 (DVR)

#### Product Weight (in grams)

2600 (DVR, without hard disk installed)

#### Enclosure

IP65 Weatherproof

Monday, May 19, 2014

Page 3 of 5



**CONCEPTRONIC**

WWW.CONCEPTRONIC.NET

## C4HCCTVKIT

Others

### Operating system

Windows XP  
Windows Vista  
Windows 7  
Windows 8  
Mac OS X 10.5 and higher

### Order Information

Order Code: C4HCCTVKIT  
P/N code: 1007084  
EAN Code: 8714909027038  
In a Box: 2

### Package content

- > Multi language quick installation guide
- > Power adapter
- > 1 to 5 Power splitter cable
- > Remote control
- > Product CD-ROM
- > USB Mouse
- > 4 Channel DVR
- > 420TVL Outdoor Camera (4x)
- > 18.3m BNC Cables (4x)
- > surveillance label





**CONCEPTRONIC**  
WWW.CONCEPTRONIC.NET

# C4HCCTVKIT

